,	Application No.	Applicant(s)
Notice of Allowability	10/721,149 Examiner	SHAMS, ALIREZA Art Unit
	Mark T. Le	3617
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the filing of the instant application.		
2. The allowed claim(s) is/are <u>1-60</u> .		
3. The drawings filed on <u>25 November 2003</u> are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority una) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	been received. been received in Application	on No
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
 Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4/12/04 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. ☐ Interview S Paper No./ 8), 7. ⊠ Examiner's	formal Patent Application (PTO-152) ummary (PTO-413), 'Mail Date Amendment/Comment Statement of Reasons for Allowance

Application/Control Number: 10/721,149 Page 2

Art Unit: 3617

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

2. Authorization for this examiner's amendment was given in a telephone interview with Mr. Dunn on December 20, 2004. The application has been amended as follows:

In claim 1, line 6, "the first movable internal rail" has been changed to -- a first movable internal rail of said internal rails--; line 7, "the second movable internal rail" has been changed to -- a second movable internal rail of said internal rails--; and last line of part ii), the period has been deleted.

In claim 21, a period has been inserted at the end of the claim.

In claim 29, line 1, "The method of claim 28" has been changed to --A method--; line 6, "the first movable internal rail" has been changed to -- a first movable internal rail of said internal rails--; lines 7-8, "the second movable internal rail" has been changed to -- a second movable internal rail of said internal rails--; and last line of part d), the period has been deleted.

In claim 31, last line, the second period has been deleted.

In claim 51, a period has been inserted at the end of the claim.

In the specification, page 1, line 7, after "August 30, 2002", the followings have been inserted --, now Patent No. 6,663,053.--.

3. The prior art cited in prior Application No. 10/231,998 has been reviewed.

Application/Control Number: 10/721,149 Page 3

Art Unit: 3617

4. As discussed with Mr. Dunn on December 20, 2004, the above amendments were necessary to correct informalities and clarify the language of the instant claims so as to place the claims in better condition for allowance.

- 5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Taylor discloses another variation of switch point position indicators.
- 6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mark T. Le whose telephone number is 703-308-3663. The examiner can normally be reached on Mon-Fri (8:00-5:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Samuel Morano can be reached on 703-308-0230. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Mark T. Le Primary Examiner Art Unit 3617

Mach man

mle 12/24/04